Fall, 1909-Spring, 1910

### WHOLESALE PRICE-LIST

# Kelsey's Rhododendrons Azaleas and other Strictly Hardy American Plants

Grown in the Carolina Mountains at 3,800 feet elevation

HIGHLANDS NURSERY, "Kawana," Saginaw P. O.

North Carolina

and SALEM BRANCH NURSERY, Salem, Mass.



Rhododendron catawbiense. The Highlands Nursery way of growing bushy clumps, 15 to 50 stems Photographed at our Salem Branch Nursery

**TERMS** 

nce from unknown parties.

# Send for List of Surplus Stock VERY SPECIAL PRICES

held liable for damage in transit.

Always address,

HARLAN P. KELSEY, Owner
Cable Address
KELMONT-SALEM
SALEM, MASS., U. S. A.

#### Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and eastern points are quick and rates low.

SALEM BRANCH NURSERY SHIPMENTS are made from Salem direct, and our special price-list must be used in ordering. Prices are about 25 per cent higher than for similar stock at our main Highlands Nursery. A fine stock of specimen Rhododendrons, Azaleas, Conifers, etc., may be seen at Salem Branch Nursery, and deliveries to eastern points rarely take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE AND RHODODENDRON PUNCTATUM come only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned hardiness.

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years and know how to pack.

**DESCRIPTIVE ILLUSTRATED CATALOGS** free on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

#### HARLAN P. KELSEY, Owner

Cable Address KELMONT-SALEM

SALEM, MASS.

September and October is the time to successfully ship and plant Lilies, Trilliums and Cypripediums

SEND FOR SPECIAL BULB LIST

### Trees, Shrubs and Vines

#### **DECIDUOUS AND EVERGREEN**

NOTE-Cl., Denotes Clumps; S., Seedlings; Col., Collected. All other plants are transplanted and nursery-grown.

Bear in mind this is a catalog of Nursery-grown plants and not a list of plants that might be collected. Over 100 acres in nursery.

THE RESERVE OF THE PARTY OF THE		r 10	1	00	1.	000
Abies balsamea. 2 to 3 ft	. \$3	00				
3 to 4 ft	. 4					
concolor. 1 to 2 ft	. 2	50	\$20	00		
douglasii. See Pseudotsuga. fraseri. 6 to 12 in		F0		00	400	
fraseri. 6 to 12 in	. 1	50		00	\$32	00
2 to 3 ft	2		0	00	00	00
3 to 4 ft		-				
Acer negundo. 2 to 4 ft		75	5	00		
pennsylvanicum. 1 to 2 ft		75		00		
2 to 3 ft				00		
3 to 4 ft		50		00		
4 to 5 ft	. 3			00		
saccharum. 6 to 12 in		25		50	10	00
1 to 2 ft		40		00		00
2 to 3 ft		50		00	30	00
3 to 4 ft	: 1	75		00		
6 to 8 ft	9	00		00		
spicatum. 6 to 12 in	. 4	50		00		
1 to 2 ft		75		00	48	00
2 to 3 ft	. 1	50	12	00		
Adelia acuminata. 2 to 3 ft	. 3	00				
AEsculus octandra. 1 to 2 ft		40	9	00		
2 to 4 ft		75		00		
Alnus alnobetula (viridis). 2 to 3 ft	•	75		00		
3 to 4 ft		00		00		
4 to 6 ft		00		10		
6 to 8 ft			24	00		
rugosa (serrulata). 3 to 4 ft	. 1	50		00		
4 to 6 ft	. 2	00		00		
6 to 8 ft		00	30	00		
Amelanchier botryapium. 6 to 12 in		50	4	00		
1 to 2 ft		75		00		
2 to 3 ft		00		00		
3 to 4 ft		50		00		
4 to 6 ft		00	15	00		
canadensis. 2 to 3 ft	. 2	00				
Amorpha fruticosa. 1 to 2 ft		40	3	00		
2 to 3 ft		60	4	00		
montana. 1 to 2 ft	. 2	50				
Ampelopsis. See Parthenocissus.						
Andromeda arborea. See Oxydendrum.						
catesbaei. See Leucothoe. floribunda. 6 to 12 in.  12 to 18 in. Cl.  18 to 24 in. Cl.  ligustrina. See Xolisma.  mariana. See Pieris.	e	00	48	00		
12 to 18 in. Cl	10	00	80			
18 to 24 in. Cl	.15	00	120			
ligustrina. See Xolisma.						
mariana. See Pieris.						
200011050. 12 to 16 III		50	12	00		
Aralia spinosa. 2 to 3 ft	. 1	00	8	00		
3 to 4 ft	. 1	25	10	00		
Aristolochia sipho. 6 to 12 in		75	6	00	50	00
1 to 2 ft	. 1	25	10	00		
Aronia (Pyrus) arbutifolia. 6 to 12 in		75	6	00		
1 to 2 ft	1	25	10	00		
erythrocarpa. Dwarf. 2 to 3 ft.	. 1	50	12	00		
3 to 4 It.	. 2	00				
erythrocarpa. Tall variety. 1 to 2 ft 2 to 3 ft	. 1	50				
melanocarpa. 1 to 2 ft	. 3	00				
2 to 3 ft	3	00				
nigra. 1 to 2 ft.	,	75	5	00	40	00
2 to 3 ft	. 1	25	10			
3 to 4 ft. Cl	. 2	50	20	00		
Ascyrum hypericoides. 6 to 12 in. Cl	2	00				

TREES, SHRUBS AND VINES, continued	1	
Azalea arborescens. Fragrant Tree Azalea. Per 10	100	1,000
6 to 12 in\$1 50	\$12 00	\$95 00
12 to 18 in	18 00 25 00	160 00
2 to 3 ft 8 00	65 00	
12 to 18 in. Cl 6 00	50 00	
18 to 24 in. Cl	100 00	
2 to 3 ft. Cl	200 00 325 00	
12 to 18 in. 2 00 18 to 24 in. 3 00 2 to 3 ft. 8 00 12 to 18 in, Cl. 6 00 18 to 24 in, Cl. 12 00 2 to 3 ft. Cl. 25 00 3 to 4 ft. Cl. 25 00 3 to 4 ft. Cl. 40 00 calendulacea. See A. lutea.	20 00	
calendulacea. See A. lutea.	1	
lutea (calendulacea). Great Flame Azalea.	8 00	
12 to 18 in	15 00	130 00
18 to 24 in 2 50	18 00	160 00
2 to 3 ft 4 00	35 00	300 00
3 to 4 ft	60 00 22 00	9
18 to 24 in. Cl	40 00	350 00
2 to 3 ft. Cl 8 00	65 00	
18 to 24 in. Cl. 4 50 2 to 3 ft. Cl. 8 00 3 to 4 ft. Cl. 17 50 4 to 5 ft. Cl. \$3 to 6 00	150 00	
nudiflora.     6 to 12 in     1 00       12 to 18 in     1 50       18 to 24 in     2 50	8 00	
12 to 18 in 1 50	12 00	
18 to 24 in	20 00 30 00	
	25 00	
18 to 24 in. Cl	35 00	
2 to 3 ft. Cl 6 50	50 00	
3 to 3½ ft. Cl	14 00	
12 to 18 in	20 00	
18 to 24 in	36 00	
2 to 2½ ft	70 00	
12 to 18 in. Cl	40 00 65 00	
viscosa. 6 to 12 in 1 00	8 00	
12 to 18 in 1 25	10 00	
18 to 24 in	20 00 12 00	
12 to 18 in. Cl	28 00	
18 to 24 in 2 50 6 to 12 in. Cl. 1 50 12 to 18 in. Cl. 3 00 18 to 24 in. Cl. 7 00		
Baccharis halimifolia. 2 to 3 ft 1 00		
Benzoin (Lindera) benzoin. 2 to 3 ft 1 50	12 00	
3 to 4 ft	16 00	
Berberis aquifolium. 3 to 6 in	8 00	
9 +0 9 #+	12 00	
3 to 4 ft	4 00	32 00
1 to 2 ft 75	6 00	32 00
2 UU U I U	10 00	
Betula alba. 3 to 4 ft 1 25		
lenta. 1 to 2 ft	6 00	
4 to 6 ft 1 25	10 00	
6 to 8 ft	16 00 2 00	
lutea. 2 to 4 ft		
A to 6 ft 1 25	10 00	
6 to 8 ft		100 00 200 00
papyrifera. 2 to 3 ft		200 00
3 to 5 ft 1 25		
Butneria (calycanthus) fertilis. 1 to 2 ft 75		
2 to 3 ft. Cl		
3 to 4 ft. Cl. 2 00 floridus. 1 to 2 ft. 75 2 to 3 ft. Cl. 1 50		40 00
2 to 3 ft. Cl	10 00	75 00
3 to 4 ft. Cl 2 00		40.00
Bignonia crucigera. 6 to 12 in 75	6 00	48 00
Cacti. Hardy species as below—		
Cactus missouriensis, Echinocactus Simpsonii, Echinocereus viridiflorus,		
Opuntia arenaria, O. camanchia, O.		
major, O. mesacantha cymochilla, O.	25 00	
Opuntia arenaria, O. camanchia, O. major, O. mesacantha cymochilla, O. mesacantha greenii, O. polyacantha 3 00 Echinocactus "Perpetual Snow" 5 00	25 00	
Calycanthus. See Butneria.	CECTIO	
THE THE PERSON NOT THE PERSON NAMED		

TREES, SHRUBS AND VINES, contin					
Carpinus caroliniana (americana). 1 to 2 ft\$0	10	10		1,0	000
2 to 3 ft	75	84 6			
	25	10 (	00	\$80	00
4 to 6 ft	75 50	20 (		100 150	
Castanea pumila, Chinkapin. 6 to 12 in. S	50	4 (		30	
12 to 18 in. S	00	8 (	00	60	
12 to 18 in	50 50	12 (	00		
Catalpa speciosa. 2 to 3 ft	50	4 (	00		
3 to 4 ft	60		00		
4 to 6 ft	75 75	6 6			
Cebatha carolina. 4 to 12 in.	75		00		
Celastrus punctata. 6 to 12 in. S	50		00	30	00
1 to 2 ft	75		00	00	00
2 to 3 ft. 1 scandens. 6 to 12 in. 1	00		00		
1 to 2 ft	60 75	5 6	00		
Cephalanthus occidentalis, 1 to 2 ft			00		
2 to 3 ft 1	50	12 (	00		
3 to 4 ft		16 (			
Cercis canadensis. 6 to 12 in	00 50	8 0	00		
1 to 2 ft	75		00		
Chamaedabhne (Andromeda) calvchlata.					
12 to 18 in. Cl. 1 18 to 24 in. Cl. 2		12 (			
Chamaecyparis sphaeroidea. 1 to 2 ft 1	50	20 (	)0		
Chionanthus virginica, 1 to 2 ft	00	8 (	00	64	nn
	75			110	
0 to # 16 2		18 (			
4 to 6 ft	50 75	36 C			
2 to 3 ft	00	8 0			
	75	14 (	00		
4 to 6 ft	50 50	20 0 12 0	10		
2 to 3 ft. Cl 2	50	20 0	00		
3 to 4 ft. Cl		50 0	00		
Comptonia peregrina (asplenifolia), 1 to 2 ft.	75	6 0			
Cornus alternifolia, 1 to 2 ft	50		00		
2 to 3 ft. 1 amomum. 2 to 3 ft. 1 3 to 4 ft. 1 4 to 6 ft. 1	00	8 0	00		
amomum. 2 to 3 ft	75 25	6 0 10 0	00		
4 to 6 ft			10		
paniculata. 2 to 3 lt 1	25	10 0			
sanguinea. 1 to 2 ft	00 25	10 0	0		
3 to 4 ft 1	75	10 0			
siberica.         3 to 4 ft	50				
Corylus americana. 1 to 2 ft. Cl	00 75	6 0			
2 to 3 ft. Cl	25	9 0			
rostrata. 6 to 12 in	50	4 0	0		
1 to 2 ft	75 25	6 0 10 0			
Crataegus coccinea. 1 to 2 ft	00	8 0	0		
2 to 3 ft	25	10 0			
crus-galli, 1 to 2 ft	75 00	14 0 8 0			
2 to 3 ft 1	50	12 0	0		
	00 30	16 0 2 5		20	00
1 to 2 ft. S	50	4 0	0	30	
2 to 3 ft. S	75	6 0	0	45	
3 to 4 ft. S	00 75	8 0			
	00	8 0	0		
3 to 4 ft 1		14 0			
4 to 5 ft		24 0 28 0			
	00	on U	U		
Decodon (Nesaea) verticillatus. Light 1		10 0	0		
Dendrium (Leiophyllum) buxifolium.					
	75	6 0			
12 to 18 in 1	nu .	12 0	U		

TREES, SHRUBS AND VINES,	continue	1	
Dendrium prostratum. 3 to 6 in. Cl	Per 10	100 \$12 00 16 00	1,000
6 to 9 in. Cl	1 00	8 00	
12 to 18 in	1 50	12 00	
sessilifolia. 1 to 2 ft	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	8 00	
Diospyros virginiana. 6 to 12 in	75	6 00 10 00	
Euonymus americanus. 2 to 3 ft		12 00	
3 to 4 ft	2 50		
radicans. 4 to 12 in	1 00	8 00	
Fraxinus Americana. 1 to 2 ft,	1 00	4 00 8 00	
3 to 4 ft		10 00	
4 to 6 ftlanceolata (viridis). 2 to 4 ft	50	4 00	\$30 00
		10 00 14 00	80 00
oregona. 1 to 2 ft.	2 50	14 00	
2 to 3 II	0 00		
quadrangulata. 1 to 2 ft			
Gaylussacia resinosa. 1 to 2 ft	1 25	10 00 20 00	
Halesia. See Mohrodendron.			
Hamamalia virginica, 1 to 2 ft.	1 00	8 00	
2 to 3 ft	1 50	12 00	
3 to 4 ft	2 00	16 00 24 00	
3 to 4 ft	75	5 00	40 00
Hydrangea arborescens. 6 to 12 in	1 00	8 00	
1 to 9 ft		12 00	
2 to 3 ft	2 00		
radiata. 6 to 12 in. 1 to 2 ft.	1 25		
Hypericum aureum. 1 to 2 ft	1 00	8 00	
		12 00	
3 to 4 ft	2 00	16 00 4 00	30 00
2 to 3 ft. densifiorum. 1 to 2 ft. 2 to 3 ft. 3 to 4 ft	75	6 00	50 00
3 to 4 ft	1 25		
prolificum. 1 to 2 ft	1 50	8 00 12 00	
2 to 3 It	2 00	12 00	
Ilex decidua. 6 to 12 in	75	6 00	
1 to 2 ft	1 25	10 00	
2 to 3 ft	75	14 00 6 00	
2 to 3 ft	1 00	8 00	
3 to 4 ft		12 00	
6 to 8 ft	4 00		
and a disconsistent II allow 0 to 10 in	1 50	12 00	
12 to 18 in,	2 00	16 00 30 00	
2 to 3 ft	6 00	48 00	
12 to 18 in,	10 00		
verticillata. 1 to 2 ft	1 75		
2 to 3 ft. 2 to 3 ft. Cl	2 50	20 00	
Itea virginica. 6 to 12 in.	75		
1 to 2 ft 2 to 3 ft	1 25		
Jamesia americana. 6 to 12 in			
Juniperus sabina. 6 to 12 in	1 00	8 00	
virginiana. 3 to 4 ft	3 50		
Kalmia angustifolia. 6 to 12 in. Cl 12 to 18 in. Cl	2 00		
latifolia. Mountain Laurel—	40		20 00
Nursery-grown, 3 to 6 in	75	5 00	35 00
6 to 9 in 9 to 12 in 12 to 18 in 18 to 24 in	1 25	8 00	60 00
12 to 18 in	3 00		100 00 200 00
2 to 3 ft	5 00	40 00	
2 to 3 ft		1 50	- 15 00
*0 to 9 m			20 00 30 00
9 to 12 in	1 00		50 00
18 to 24 in	1 50	10 00	80 00

#### TREES, SHRUBS AND VINES, continued

Kalmia latifolia. Clumps. 9 to 12 in	Per\$3	r 10	10 \$25 (		1,0	000
12 to 18 in	5	00	40 (			
12 to 18 in. 18 to 24 in.	8	50	70 (			
2 to 3 ft	17	50	140	00	***	
2 to 3 ft.  Collected clumps. 12 to 18 in.  18 to 24 in.  2 to 3 ft.	3	50	30 ( 45 (		\$225 400	
			70		600	
Larix laricina (americana) 3 to 4 ft.	2	50	20			00
Larix laricina (americana). 3 to 4 ft 4 to 6 ft	3	00		•		
6 to 8 ft	4	00		-		
Ledum groenlandicum. 12 to 18 in	1	50	12	00		
Leiophyllum. See Dendrium.						
Leucothoe (Andromeda) catesbaei.						
Bushy Plants. 6 to 12 in.		75	6	00	50	00
12 to 18 ill	1	25	10 (		80	00
18 to 24 in	2		16		0.5	
12 to 18 in		50	6 6	50		00
18 to 24 in	1			00		00
Clumps. 6 to 12 in. 12 to 18 in. 18 to 24 in. Collected Clumps. 6 to 12 in.	2	25		00	140	
12 to 18 in	3			00	190	00
Oallasted Charmes 6 to 10 in	3		30 (	00	-	00
12 to 18 in	2			00	100	00
18 to 24 in	3			00	175	00
18 to 24 in recurva. 6 to 12 in		75		00		
1 to 2 ft	1	25	10 (	00		
Ligustrum ibota. 1 to 2 ft		50		00		00
2 to 3 ft		75	6 0	00	45	00
3 to 4 ftregelianum. 1 to 2 ft	٠ ١	00 50	8 6	00	25	00
2 to 3 ft		75		00	45	00
3 to 4 ft	1	25		00		00
Lindera. See Benzoin.						
Liquidambar styraciflua. 3 to 4 ft	1	50	10 (	00		
4 to 6 ft	2					
6 to 8 ft	3	50				
Liriodendron tulipifera. 2 to 3 ft	1	00	8 (			
3 to 4 ft	1	25	10 0			
4 to 6 ft	$\frac{1}{2}$		14 0	Ю		
Lonicera dioica. 2 to 3 ft		-	8 0			
		50		00		
3 to 5 ft		50		00	30	00
Strong sempervirens. 6 to 12 in		75	6 (		50	00
sempervirens. 6 to 12 in	1		8 (			
1 to 2 ft		50	12 (			
Magnolia acuminata. 1 to 2 ft. S	• • •	50 75	6 0	00		
2 to 3 ft. S	1	00	8 (			
2 to 3 ft	1	50	12 (			
3 to 4 ft	2			00		
4 to 6 ft	2		20 (	00		
glauca thompsoniana. 1 to 2 ft	3		16 (	00		
2 to 3 ft	3		10	00		
2 to 3 ft	1	50	12 (	00		
2 to 3 ft	2		00 4	20		
3 to 4 ft	2		20 0			
Malus (Pyrus) coronaria. 1 to 2 ft	2		16 (	00		
			0	00		
Menziesia pilosa. 1 to 2 ft	1	00	16			
2 to 3 ft, Cl	3	00		00		
Mohrodendron carolinum (Halesia tetra	ap-					
tera). 1 to 2 ft	1	25	10 (	00		
2 to 3 ft	1		14 (			
		50	20 0			
Myrica cerifera. 6 to 12 in		75	6 (		48	00
12 to 18 in	1	50	12 (	N		
Nesaea. See Decodon.						
Nyssa multiflora. 6 to 12 in	2	00				
1 to 2 ft	3	00 50				
Ostrya virginica. 1 to 2 ft		7.4	8 0	10		
2 to 3 ft	1		12 0			
3 to 4 ft	2	00	0			

TREES, SHRUBS AND VINES,	continue	1	
	Per 10	100	1,000
Oxydendrum (Andromeda) arboreum.	40.75	\$6 00	\$48 00
3 to 6 in 6 to 12 in	1 00	8 00	65 00
1 to 2 ft	1 50	12 00	95 00
2 to 3 ft	2 00	16 00	
Parthenocissus (Ampelopsis) engelman			
2-year	10	6 00	45 00
3-yearvirginica. Strong	1 25	10 00 6 00	70 00
witagg Strong		10 00	
Picea canadensis (alba). 6 to 12 in	1 00	8 00	
1 to 2 ft 2 to 3 ft		12 00 20 00	
mariana (nigra), 1 to 2 ft	75	6 00	
2 10 3 11	1 170	12 00 20 00	
3 to 4 ft	4 00	30 00	
pungens (seedlings). 12 to 18 in	6 00	· 45 00	
2 to 3 ft	00		
Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. Cl	2 00	16 00	
2 to 3 ft. Cl	3 50		
Pinus banksiana. 8 to 10 ft	6 00	40 00	00.00
divaricata. 4 to 12 in. S	00	6 00	30 00 45 00
6 to 12 in		8 00	60 00
1 to 2 ft	1 50	12 00	90 00
2 to 3 ft	2 00	16 00	
1 to 2 ft	3 00		
mitis. 1 to 2 ft	ft 2 50		
ponderosa. Western Yellow Pine. 1 to 2 pungens. Table Mountain Pine. 1 to 2 ft.	1 00	8 00	
2 to 3 ft	1 50	12 00	90 00
3 to 4 ft	2 00	16 00 28 00	
rigida. 6 to 12 in	1 00	8 00	1
1 to 2 ft	1 50	12 00 8 00	90 00 60 00
strobus. 6 to 12 in	2 00	16 00	00 00
3 to 4 ft	0 00	28 00	400.00
4 to 6 ft	6 50	50 00 100 00	400 00 800 00
6 to 8 ft  Prunus besseyi. 1 to 2 ft	2 00		
maritima. 1 to 2 ft	1 00	8.00	
2 to 3 ft	1 50	12 00 8 00	
pumila. 1 to 2 ft	1 50	12 00	
Pseudotsuga taxifolia (Abies douglasii)			No.
6 to 12 in	6)	6 00	48 00 110 00
1 to 2 ft. 2 to 2½ ft		20 00	110 00
Ptelia trifoliata. 2 to 3 ft	50	4 00	
3 to 4 ft	70	5 00 8 00	
4 to 6 ft	1 00	0 00	
Pyrus americana. See Sorbus. arbutifolia. See Aronia. coronaria. See Malus. nigra. See Aronia.			
coronaria. See Malus.			
nigra. See Aronia.	75	6 00	
Quercus alba. 6 to 12 in	1 00	8 00	
hannesteri - 1 to 2 ft	2 00	14 00	
coccinea. 3 to 4 ft	1 75	14 00 28 00	200 00
R to 9 ft	5 00	40 00	
laurifolia. 6 to 12 in	2 00		
macrocarpa. 2 to 3 ft,	3 50		
palustris. 3 to 4 ft	1 50	12 00	
4 to 6 ft	2 50	20 00 28 00	
prinus. 1 to 2 ft	2 00		
9 to 3 ft	3 00		
3 to 4 ftrubra. 2 to 4 ft	2 00	16 00	
4 to 6 ft	4 00	30 00	
6 to 8 ft	6 00		
Rhamnus caroliniana (alnifolia). 2 to 3 ft.	1 00		
3 to 4 ft	1 00		

#### KELSEY'S Hardy American Plants Rhododendrons and Az Rhododendrons and Azaleas

#### TREES, SHRUBS AND VINES, continued

#### RHODODENDRON CATAWBIENSE

This is not the common imported "seedling Catawbiense" so-called, which is a half-hardy hybrid with little true Catawbiense blood in it. The true Catawbiense grows only in the high southern Alleghenies and is the finest of all Rhododendrons considering its extreme hardiness and remarkable texture of foliage-a deep shiny green, far superior to Maximum.

For massing there is no hardy broad-leaved evergreen equal to it for the northern United States. It is a free-bloomer, with large, bright red-purple trusses, in marked contrast to the blue-purple of the half-hardy hybrid noted before—All plants are bushy with balls (except collected seedlings) and clumps have diameter corresponding to height with many stems, and are mostly heavily budded. The larger clumps for center of mass-planting should not be feathered to the ground for best effects, but have thick bushy tops. Special selections are charged for extra and we can supply perfect specimens for any situation.

Rhododendrons are the basis of any successful mass planting for winter effects. If you don't know how to advise your customers so they may grow them successfully as common shrubs, write us. There is a secret, and 24 years' experience in growing ericaceous plants enables us to "tell how." Our stock cannot be duplicated elsewhere in quantity or quality. Freight rates from southern points are reduced and we gladly quote you to any point, and give the information you want about "car-lots."

quality. Freight rates from southern points are reduced and we gladly quote you to any point, and give the information you want about "car-lots.

Rhododendron catawbiense.	Per	r 10	1	00	1.0	000
Nursery-grown, Bushy Plants. 3 to 6 in				00	\$30	
6 to 9 in	. 1	00		00		00
9 to 12 in	1	50	12	00	95	00
12 to 18 in	. 2	25	18		160	00
18 to 24 in	. 3	50		00		
Collected Plants, 3 to 6 in		40	2	00		00
6 to 9 in		75		00		00
9 to 12 in	. 1	00	7			00
12 to 18 in	. 1		10	00	85	00
Nursery-grown Clumps. 6 to 9 in	. 2			00		
9 to 12 in	, 3	50		00		
12 to 18 in	. 7			00	480	
18 to 24 in	. 12	00	100		900	
2 to 3 ft	.20	00	160		1250	00
3 to 4 ft	.35	00	300			
4 to 5 ft	.45	00	and	iba	vard	
Collected Clumps. 9 to 12 in,	. 2	25		00	180	
12 to 18 in	. 4	00		00	325	
18 to 24 in	. 6	90	60		450	
2 to 3 ft	. 10	00		00	800	
3 to 4 ft			180		1700	00
4 to 5 ft	.40	00	350	00		
maximum. Nursery-grown, Bushy Plants.		40	9	20	90	00
3 to 6 in		60	2	50		00
6 to 9 in	. 1		7			00
9 to 12 in	. 1		12	50	60	
12 to 18 in	. 1			00	100	
18 to 24 in		00	40		180	00
2 to 3 ft		vv	1	50	15	00
Collected Single Plants. 3 to 6 in		50		50		00
6 to 9 in		75		00		00
9 to 12 in			7			00
			10	00		00
Nursery-grown Clumps. 9 to 12 in.		0.0	7.5	00	00	00
12 to 18 in	. 5	00		00		
18 to 24 in		2/3	70			
2 to 3 ft		50	115			
3 to 4 ft	.30					
Collected Clumps. 12 to 18 in	. 3	50	30	00	240	00
18 to 24 in	. 5	00	45	00	400	00
2 to 3 ft	. 9	00	70	00	600	00
3 to 4 ft		00	140	00	1000	00
4 to 5 ft	30	00	200	00		
5 to 6 ft	.50	00	400	00		
punctatum. Nursery-grown Plants.						
6 to 9 in	. 1	25	10	00		
9 to 12 in	. 2	00	15	00		
12 to 18 in	. 3	00	25	00		
18 to 24 in	. 5	00	40	00		
Nursery-grown Clumps. 12 to 18 in	. 8	00	60			
12 to 24 in	. 15	00	120			
2 to 3 ft	.30	00	240	00		
3 to 4 ft	.50	00				
vaseyi. See Azalea vaseyi.						
Rhodora canadensis. 6 to 12 in	. 9	00				
		50	A	00		
Rhodotypus kerrioides. 6 to 12 in		ou	4	00		

TREES, SHRUBS AND VINES, continued		
Per 10	100	1,000
Rhus aromatica. 6 to 12 in	\$12 00	
12 to 18 in 2 50	20 00	
copallina. 6 to 12 in	6 00	
1 to 2 ft	10 00 14 00	
2 to 3 ft	14 00	
hirta. 1 to 2 ft	8 00	
3 to 4 ft 1 50	12 00	
trilobata. 3 to 6 in. S 3 00		
Pibes expected 1 to 2 ft 1 00	8 00	
prostratum. 6 to 12 in	8 00	
1 to 2 ft 1 50	12 00	
prostratum.         6 to 12 in.         1 00           1 to 2 ft.         1 50           rotundifolia.         2 to 3 ft.         1 50		
<b>Robinia hispida.</b> 1 to 2 ft	6 00	
2 to 3 it 1 00	8 00	
kelseyi. 6 to 12 in 1 50	12 00	
1 to 2 ft	20 00	
rosea. 6 to 12 in	10 00	
viscosa.       2 to 3 ft		
Rosa arkansana. 6 to 12 in		
blanda. 6 to 12 in	8 00	
1 to 2 ft 1 25	10 00.	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 00	\$30 00
1 to 2 ft 75	6 00	48 00
2 to 2½ ft 1 00	8 00	
humilis.     6 to 12 in.     75       12 to 18 in.     1 25	6 00 10 00	
1 to 18 in	10 00	
2 to 3 ft	10 00	
nitida. 6 to 12 in	8 00	
1 to 2 ft		
nutkana. 6 to 12 in 2 00		
pesocarpa. 1 to 2 ft		
pesocarpa.     1 to 2 ft.     2 00       rugosa.     1 to 2 ft.     75       2 to 3 ft.     1 25       setigera.     2 to 3 ft.     1 00       woodsi.     6 to 12 in.     2 50	6 00 10 00	
2 to 3 ft	8 00	60 00
woodsii. 6 to 12 in	0 00	00 00
Rubus canadensis. Strong 50	4 00	30 00
cuneifolius. 12 to 18 in	4 00	30 00
dumetorum. 1 to 2 ft 2 50		
laciniatus. 1 to 2 ft		
laciniatus. 1 to 2 ft.       2 00         odoratus. 6 to 12 in.       50         1 to 2 ft.       75	4 00	30 00
1 to 2 ft 75	6 00	50 00
2 to 3 It 1 25	16 00	
open the second		20.00
Sambucus canadensis. 1 to 2 ft. Col	3 00	18 00
pubens (racemosa).     1 to 2 ft	8 00	
Sassafras officinale. 2 to 3 ft 2 50		
3 to 4 ft	28 00	
4 to 5 ft 5 00	40 00	
Sorbus (Pyrus) americana. 1 to 2 ft	6 00	
2 to 3 ft 1 25	10 00	
3 to 4 ft 2 00	16 00	
4 to 6 ft 3 00	24 00	
Spiraea opulus. 1 to 2 ft 1 00	8 00	
2 to 3 ft		
salicifolia. 2 to 3 ft. Cl	4 00	
salicifolia.         2 to 3 ft. Cl.         60           3 to 4 ft. Cl.         1 00	8 00	
4 to 5 ft. Cl	16 00	
tomentosa. 1 to 2 ft	8 00	
tomentosa. 1 to 2 ft. 1 00 2 to 2 6 ft. 1 50	12 00	
tomentosa alba. 1 to 2 ft 1 00	8 00	
2 to 2½ ft		
Sterculia plantanifolia. 1 to 2 ft 1 50		
2 to 4 it		
Stuartia nantagyna, 6 to 12 in	8 00	
1 to 2 ft 2 00	16 00	
2 to 3 ft	28 00 40 00	
3 to 4 ft	80 00	
4 to b it	4 00	
	6 00	
1 to 2 ft	6 00	
2 to 3 ft	8 00	
Tecoma (Bignonia) grandiflora. Strong 2 50	1	
	8 00	

TREES, SHRUBS AND VINES, continued		
Per 10  Thuja occidentalis, 1 to 2 ft	100 \$4 00	1,000 \$30 00
2 to 3.ft	8 00	60 00
3 to 4 ft 1 50	12 00	90 00
4 to 6 ft	20 00	160 00
Thuja occidentalis,   16 2 ft.   \$9 30	30 00	
4 to 6 ft		
Tsuga canadensis. Hemlock. 6 to 12 in 75	6 00	45 00
12 to 18 in	8 00	65 00
18 to 24 in	16 00 28 00	140 00 250 00
2 to 3 ft. 3 50 3 to 4 ft. 6 00 4 to 5 ft. 10 00	50 00	450 00
4 to 5 ft	80 00	700 00
6 to 7 ft 25 00	120 00 200 00	
5 to 6 ft. 15 00 6 to 7 ft. 25 00 <b>carolinians</b> . Carolina Hemlock. 12 to 18 in. 2 50 18 to 24 in. 5 00		
18 to 24 in. 5 00 2 to 3 ft 12 50 3 to 4 ft. 25 00 4 to 5 ft. 40 00 5 to 6 ft. 5 10 00  Waccinium corymbosum. 6 to 12 in. 12 50 12 to 18 in. 12 50 12 to 18 in. 12 50 12 to 18 in. 14 00 hirsutum. 6 to 12 in. 15 00 12 to 18 in. 15 00 12 to 18 in. 16 00 12 to 18 in. 17 00 12 to 18 in. 18 00 13 to 18 in. 19 00 14 00 15 00 16 00 17 00 18 10 18 in. 18 10 18 18 in. 18 10 18 18 in. 18 10 18 18 in. 18 18 18 18 18 18 18 18 18 18 18 18 18	40 00	
2 to 3 ft	100 00 200 00	
4 to 5 ft	320 00	
5 to 6 ft	600 00	
To odniem commence & to 12 in 1 25	10 00	
12 to 18 in	18 60	
12 to 18 in. Cl 4 00	32 00	
erythrocarpon. I to 2 ft	12 00	
12 to 18 in		
macrocarpon. Mountain Cranberry. Clumps. 75	6 00	45 00
pallidum. 6 to 12 in	8 00 16 00	
• nennsylvanicum. 6 to 12 in	10 00	
stamineum. 6 to 12 in 1 00	8 00	
12 to 18 in	10 00 24 00	
2 to 3 ft. Cl	24 00	
Viburnum acerifolium. 1 to 2 ft	6 00	
2 to 3 ft	12 00	
1 to 2 ft. Cl	14 00 16 00	
alnifolium. 1 to 2 ft	14 00	
2 to 3 ft, 3 00	24 00	
3 to 4 ft	6 00	50 00
1 to 2 ft	12 00	95 00
2 to 3 ft 1 75	14 00	
3 to 4 ft	16 00 24 00	
3 to 4 ft. Cl	30 00	
4 to 6 ft. Cl 7 00	55 00	
<b>dentatum.</b> 6 to 12 in	6 00 8 00	
2 to 3 tt	12 00	
3 to 4 ft 2 00	16 00	
lantana. 1 to 2 ft		
3 to 4 ft 3 50	28 00	
nudum. 1 to 2 ft 1 00		
dentatum. 6 to 12 in.     75       1 to 2 ft.     1 00       2 to 3 ft.     1 50       3 to 4 ft.     2 00       lantana. 1 to 2 ft.     1 50       molle. 2 to 3 ft.     2 00       3 to 4 ft.     3 50       nudum. 1 to 2 ft.     1 00       2 to 3 ft.     1 50       3 to 4 ft.     2 00       3 to 4 ft.     2 00       3 to 4 ft.     2 00       4 to 6 ft.     2 00       prunifolium. 1 to 2 ft.     2 00       2 to 3 ft.     4 00       Vitis aestivalis. 6 to 12 in.     1 00		
oxycoccus (opulus). 2 to 3 ft 1 50	12 00	
3 to 4 ft	16 00	
nrunifolium. 1 to 2 ft 2 00	16 00	
2 to 3 ft 4 00		
Vitis aestivalis. 6 to 12 in 1 00	8 00	
Vitis aestivalis.       6 to 12 in	8 00	
1 to 2 ft 1 50		
1 to 2 ft. 1 50  heterophylla. 6 to 12 in., strong. 1 50  labrusca. 1 to 2 ft. 1 00	8 00	
2 to 3 ft	12 00	
monticola. 2 to 3 ft 2 00	-3 00	
Wistaria frutescens. 1 to 2 ft 1 00		
Vistaria intescens   1 to 2 tt   1 to 0     2 to 3 ft   1 to 2     Xanthorrhiza apiifolia   3 to 6 in   50     6 to 12 in   65     3 to 6 in   Cl   75     6 to 12 in   cl   1 to 0     12 to 18 in   Cl   1 50	4 00	30 00
S to 12 in	5 00	40 00
3 to 6 in. Cl	6 00	45 00
6 to 12 in. Cl	8 00 12 00	60 00 95 00
Xolisma ligustrina. 1 to 2 ft	8 00	00 00
1 to 2 ft. Cl	12 00	
11		

#### HARDY HERBACEOUS PERENNIALS

Including Vines, Ferns, Aquatics, Orchids, Lilies and Bulbous Plants

	Per 1		1,000
	. \$1 25		1
Acorus calamus			
Actaea alba			
rubra			
Adiantum pedatum. Strong Cl		8 00	)
Allium cernuum. Strong		)	
tricoccum		)	
Amsonia amsonia. Cl	. 75	6 00	)
Angelica curtisii	. 50		
Aquilegia canadensis. Cl	. 75		
chrysantha. 1-yr. Strong. S			
Aralia nudicaulis	. 50	4 00	•
quinquefolia. See Panax. racemosa. Strong Cl	75	6 00	
Archangelica hirsuta			
Arisaema triphyllum			
Artemisia gracilis			
Aruncus (Spiraea) aruncus			
Asclepias tuberosa			
Aspidium. See Dryopteris.	, , , , , ,		
Asplenium filix-foemina. Strong	75	6 00	
thelypteroides	. 75	6 00	
Aster, in variety, -cordifolius, curtisii, divar-			
icata, ericoides pilosa, macrophylla,	75	4 00	\$30,00
puniceus, umbellatus porterii		4 00	\$30,00
Astilbe decandra	75	5 00	
Athyrium thelypteroides. Strong	75	6 00	
Baptisia australis. Strong Cl	1 00	8 00	
tinctoria. Strong	75	6 00	
Bicuculla (Dicentra) canadensis	75	5 00	
cucullaria	75	5 00	
eximia. Clumps		8 00	
Botrychium virginicum	75	5 00	
Calapogon. See Limodorum.	1 0"	10.00	
Caltha leptosepala. Marsh Marigold. Strong		10 00 8 00	
Calypso borealis		8 00	
Carex fraseri. Clumps	1 00	8 00	
Cassia marylandica	50	4 00	
Caulophyllum thalictroides. Col.	75	5 00	
Chamaelirium luteum	75	6 00	
Chelone glabra and lyoni. Clumps	75	6 00	
Chrysamphora (Darlingtonia) californica			
Chrosperma muscaetoxicum	50	4 00	
Cicuta maculata	50	4 00	
Cimicifuga americana	75	6 00	
racemosa	60	5 00	
Clematis coccinea			
crispa			
Virginiana. Strong	75	5 00	419_410
Clintonia borealis and umbellata	60	5 00	\$12-\$18
Collinsonia canadensis. Strong	60	5 00	
Convallaria majalis	50	4 00	
Coreopsis lanceolata. Clumps	60	5 00	
major. Clamps	75	6 00	
roseus. Clumps	60	5 00	35 00
verticillata	60	5 00	
Cypripedium acaule. Light	50	3 00	20 00
Strong	1 00	8 00	50 00

#### HARDY HERBAGEOUS PERENNIALS, continued

Per 10	100	1,000
Cypripedium californicum \$2 00	\$15 00	
californicum. Small Clumps 5 00	35 00 15 00	
fasiculatum	3 50	\$25 00
Strong 1 00	8 00	60 00
HIVII COLINE	10 00 8 00	
parviflorum 100 reginae (spectabile). 1 to 2 crowns 200	15 00	
3 to 4 crowns	35 00	
o to 6 crowns	55 00 75 00	
7 to 8 crowns 9 00 Clumps with over 8 crowns 15c. per crown	10 00	
Darlingtonia. See Chrysamphora.		
Dicksonia punctilobula. Clumps 75	5 00	35 00
Dionaea muscipula. Venus Fly-trap 1 00	6 00	
Dioscorea villosa. Strong 75	5 00	
Diphylleia cymosa 1 00	8 00	
Disporum lanuginosum 1 00	8 00	
Dryopteris acrostichoides	5 00	35 00
angustifolia 1 50 goldiana. Strong 1 00	8 00	
marginalis	5 00	35 00
novahoracensis 1 00	8 00 5 00	35 00
spinulosa	8 00	50 00
	15 00	
<b>Epigaea repens.</b> Trailing Arbutus. Est. Cl 2 00 Col. Cl	5 00	40 00
Erythronium albidum 1 00	6 00	
americanum	2 00	12 50
californicum	2 00 2 50	15 00 20 00
citrinum	2 50	20 00
grandiflorum	2 50 2 00	20 00 15 00
	3 00	25 00
revolutum. White, tinged purple 80	3 50	30 00
	2 00	12 00
Eupatorium ageratoides and perfoliatum 75 purpureum. Clumps	5 00 8 00	
Euphorbia corollata	6 00	
Ferns. See Adiantum, Asplenium, Athy-		
rium Rotrychium, Dicksonia,		
Dryopteris, Onoclea, Osmunda, Phegopteris Polypodium,		
Phegopteris Polypodium, Pteris, Woodwardia.		
Galax aphylla. Est. Cl 1 00	8 00	60 00
Col. Cl		30 00
Gaultheria procumbens. Col. Cl 75	5 00	30 00
Glechoma (Nepeta) hederacea. Col	4 00	20 00
diechoma (hepeta) nederaceas	3 00	20 00
Gentiana andrewsii. Light	4 50	35 00
Geranium fremontii. 1 vr., strong 2 00		05.00
maculatum50	4 00	25 00
Geum radiatum 1 00	8 00	
Goodyeara. See Peramium.	0.00	45 00
Habenaria ciliaris	6 00 8 00	45 00
Psycodes		30 00
Helianthus strumosus 50	4 00	30 00
Helonias bullata	4 00	30 00
Hepatica acuta	5 00	
Heuchera americana and villosa 75	5 00	
Hibiscus, crimson-eye, moscheutos, rose-		
pink		
mixed 50 Houstonia purpurea and serpyllifolia. Col 50		
Hydrastis canadensis. Golden Seal		
Humulus lupulus. Col 50	4 00	30 00
Inomoea pandurata 1 2		
Iris cristata. Clumps 1 00		50 00
lacustris 75	5 00	

#### HARDY HERBACEOUS PERENNIALS, continued

	20.	r 10	,	00	1	000
Iris missouriensis. Strong	\$1			00	1,	000
pseudacorus. Clumps		75	6	00		
verna. Clumpsversicolor. Clumps		75		00	\$40	00
Lacinaria (Liatris) pilosa, Strong		75	0	00		
pycnostachya	1	75	6	00		
spicata		60	5	00		
spicata pumila		75	6	00		
squarrosaLeptandra virginica	1					
Leucocrinum montanum	1					
Liatris. See Lacinaria.	2	00				
	5	00	95	00		
canadense, var. flava. 2d size		50	3	00	25	00
1st size		75	5	00	40	00
canadense, var. rubra carolinianum. 3d size	1	50	8	00 50		00
2d size		75	5	00		00
lst size	1		. 8	00	65	00
columbianum grayi. 2d size	2	75	15	00	45	00
1st size	1		9	00		00
humboldtii. 7 to 8 in. cir		00	15	00	110	00
8 to 9 in. cir	2		18	00	130	00
9 in. and over	5		35 35	00		
humboldtii, var. magnificum humboldtii, var. bloomerianum	3		20			
kellogmii	5	00	35	00		
maritimum	3		20	00	50	00
pardalinum. 1 eye	i	50	10	00	90	UU
pardalinum, var. johnsonii	3	00	18	00		
parryii. Medium	5	00	35 50	00		
parviflorum	i	75	12	50		
parvum. Good	3		20	00		
parvum, var. luteum	5	-	35	00		
philadelphicum	-	75	5	00	40	00
roezlii	2			00		
superbum. 1st size	5	75	35 5	00	40	00
2d size		50	3	00		00
ou size		30	1	50	10	00
washingtonianum, var. purpureum.	2	00	15	00	110	00
8 to 9 in	3	00		00	130	
9 to 15 m		00		00		
Limodorum (Calopogon) tuberosum	1	00	7	00		
Lobelia cardinalis, syphilitica		75	5	00		
Medeola virginicum		75				
Melanthium parviflorum, virginicum Menispermum canadense. Moonseed		75 50		00		
Mertensia virginica	1	00		00		
Mitchella repens. Est. Cl.	1	25	10	00		
Col. Cl.	*	75	5	00	40	00
Monarda didyma	1	00	6	00		
In var	1	00	6	00		
Nuphar advena	1	50				
Onoclea sensibilis		75	5	00	40	00
Orchis spectabilis	1	50				
Orontium aquaticum. Golden Club	1	25	10	00		
Osmunda cinnamomea, claytoniana,						
regalis	1	00	7	00		
Oxycoccus macrocarpon. See Vaccinium						
Panax (Aralia) quinquefolium, Ginseng.						
XX size	4	50	35 20			
1st size	ī	50	11	00		
2d size	1	00	7	00		
3d size		60	4	00	35	00
Peramium (Goodyeara) pubescens. Col Phegopteris hexagonoptera	1	50	12	0.0		
		75	8	00		

#### HARDY HERBACEOUS PERENNIALS, continued Per 10 1.000 Physostegia virginiana ..... 50 4 00 \$30 00 50 4 00 20 00 Podophyllum peltatum ..... Polygonatum biflorum commutatum. Extra heavy 50 4 00 75 4 00 2 yr. S. .... 25 00 50 3 00 90 00 Polygonum eilinode ...... 50 4 00 50 25 00 Polypodium vulgare. Col..... Porteranthus (Gillenia) stipulatus..... 75 6 00 75 6 00 Potentilla tridentata. Clumps ..... 45 00 Pteris aquilina ...... 50 4 00 20 00 Pyrola rotundifolia. Col....... 1 00 8 00 6 00 75 45 00 Rhexia virginica..... Sagittaria latifolia ...... 50 3 00 60 Sanguinaria canadensis, Bloodroot. Strong.. 4 00 20 00 Sanguinaria is shipped entirely at consignee's risk Sarracenia catesbaei, drummondii, flava, psittacina, purpurea, rubra.... 1 50 12 00 Saxifraga micranthidifolia, michauxii..... 1 00 6 00 Scrophularia marylandica ...... 1 50 Sedum telephioides. Strong..... 75 ternatum. Col..... 25 00 Shortia galacifolia. 1st size..... 3 00 90 00 1 50 12 00 2d size..... Silene stellata..... 75 5 00 virginica..... 1 00 Solidago canadensis, bootii, bicolor, erecta, glomerata, nemerocalis, odora, patula, pallida, pubens, ru-75 gosa, rupestris ..... Sparganium ramosum..... 2 00 15 00 Spigelia marylandica ...... 2 00 4 00 60 Stachys aspera..... Steironema ciliatum ..... 4 00 Stenanthium robustum. Mt. Feather Fleece. The finest new hardy perennial. Introduced by Highlands Nursery. Send for special circular. 1-yr. S. 50 3d size 1 00 2d size 1 50 1st size 2 50 50 00

montana. 1-yr. S. rhombifolia. 1-yr. S.	1 50	0 00	
Therofon aconitifolia. Clumps	50	4 00	
Tradescantia montana	75	5 00	
Trautvetteria carolinensis	50	4 00	
Trillium cernuum erectum. Erect Wake Robin. Light Strong. erectum album. Light	30 50 60	5 00 2 00 3 00 4 50	12 50 20 00 30 00
Strong	20 40	7 00 1 00 2 50	8 00 15 00
ovatumnivalerecurvatum	1 00	3 50 8 00 5 00	25 00
sessile, var. californicum	80	6 00	40 00

Stokesia cyanea...... 75

sessile, var. Snow Queen .....stylosum. Light .....

undulatum .....

Typha angustifolia 2 00 latifolia 1 00

Triosteum perfoliatum .....

Unifolium canadense .....

Strong.....

Thermoneis carolinians

Thalictrum dioicum...... 60 4 00

20 00

6 00

1 00 8 00

80

40

75

60

50

6 00 2 50

5 00

4 00

4 00

8 00

40 00

30 00

30 00

#### HARDY HEBACEOUS PERENNIALS, continued Per 10 100 1.000 . \$0 75 \$5 00 8 00 Uvularia perfoliata \$0.75 grandiflora 1 00 5 00 75 sessilifolia..... Vagneria racemosa. Strong..... 75 5 00 5 00 Veratrum viride. Strong..... 75 Vinca minor. Col..... 60 4 00 Vernonia novaboracensis. Col................................. 1 00 Veronica officinalis and serpyllifolia ...... 50 4 00 Viola canadensis, hastata, pedata 75 pedata bicolor 1 50 sagittata 1 00 75 5 (0 12 00 7 00 Woodwardia virginica ...... 1 00 Yucca filamentosa 75 filamentosa, var. concava. Strong Cl. 2 00 flaccida. Light 50 Clumps 1 00 glauca. Strong 1 00 5 00 16 00 18 00 8 00 8 00 Xerophyllum asphodeloides. Clumps....... 1 25 10 00

Always Address

# HARLAN P. KELSEY, Owner, SALEM, MASS.



\* The hardiest Hybrid Rhododendrons, growing at Salem Branch Nursery